Web Images Maps News Shopping Gmail more ▼



filtering bitstream television xml semantic timing position

Search

Advanced Search
Preferences

Sign in

Wah

Results 1 - 10 of about 1,930 for filtering bitstream television xml semantic timing position. (0.25 seconds)

1. MPEG-21 bitstream syntax descriptions for scalable video codecs

letins on the **television**. Now, there is the opportunity to fol- low digital news feeds on the Internet; and in the near tion of the **bitstream** in **XML**, it is possible to add extra in- ... no **semantic** information. The (adapted) **bitstream** can be second phase, we can **filter** out different versions of the (par- ...

www.springerlink.com/index/T1GK147M5346VT77.pdf - <u>Similar pages</u> by D De Schrijver - 2006 - <u>Cited by 6 - Related articles</u>

2. Cover Pages: Extensible Markup Language (XML)

The output formatter is based on **Bitstream's** revolutionary NuDoc page Once data is in **XML** conforming to the NFF DTD it can be imported using an import **filter** in the area of specifying **timing**, synchronization, and special effects. [October 23, 1998] **XML** and **Semantic** Transparency." By Robin Cover. ... xml.coverpages org/xml.html - 425k - <u>Cached - Similar pages</u> by R Cover - Cited by 43 - Related articles

3. [PDF] David Tarrant May 2005 ECS-TV - Video for Learning http://www.ecs ...

File Format: PDF/Adobe Acrobat - View as HTML

around the idea of the **semantic** web which uses metadata representation languages such as **XML** using VLC until you re-stream to a client interactively and VLC cannot read the **timing** in the projector picks up an AC-3 **bitstream** from the then **filter** out entries by another attributes value, and so on. ...

users.ecs.soton.ac.uk/dt302/guides/Full_Report.pdf - Similar pages

4. [DOC] FERNANDO PEREIRA

File Format: Microsoft Word - View as HTML

High-level features typically have a **semantic** value associated to what the driven media selection and **filtering**, personalized **television** services, ... unit is the smallest data entity to which **timing** information can be attributed. ... the **bitstream**, without parsing the complete **bitstream** before these elements. ...

www.img.lx.it.pt/~fp/artigos/IJIG_MPEG7_final.doc - <u>Similar pages</u> by F PEREIRA - Cited by 11 - Related articles - All 5 versions

5. [FLASH] ii Acquisitions Editor: Michelle Potter Development Editor: Kristin ...

File Format: Shockwave Flash

Its **semantic** is defined with respect to paths in a Kripke structure. before sending the report to the development team, **filtering** duplicities and fake bugs, However, when both data and transactions have **timing** restrictions, Furthermore, the chapter clarifies the conformance-testing **position** among ...

mail.udgvirtual.udg.mx/biblioteca/bitstream/123456789/1648/2/1591408539

verification.swf - Similar pages

by A Dasso - 2007 - Cited by 1 - Related articles - All 5 versions

6. [Doc] Chapter 2:

File Format: Microsoft Word - View as HTML

Secondly, a number of the **bitstream** encodings are media-dependent formats, for the searching and **filtering** of specific types of content. ... **position**, trajectory, mood, and tempo) to high-level **semantic** ... SMIL is a flexible **XML** markup language that gives you the power to control the **timing** of such media ...

ahds.ac.uk/about/projects/archiving-studies/moving-images-sound-archiving-final.doc - Similar pages

7. IRC log of tp on 2007-11-07

Nov 7, 2007 ... It's with browsers (like **TV** said). They're tired of waiting for things towards browsers that handle more and more **semantic** content on the Web. end of the **bitstream**" sounds like "the shallow end of the gene pool". The key thing that SMIL provides is the **timing** model which explains ...

www.w3.org/2007/11/07-tp-irc - 401k - Cached - Similar pages

8. [PDF] Processing and Delivery of Multimedia Metadata for Multimedia ...

File Format: PDF/Adobe Acrobat - View as HTML

of multimedia **bitstreams** [BS06]. Both categories of metadata (**semantic** and syntactic its ancestor's stack and its **position** within siblings. ... The use of STXPath expressions as matching patterns enables **filtering** an the fragmentation and **timing** of media data and **XML** metadata such as to enable their ...

www-itec.uni-klu.ac.at/publications/mmc/wmsrm2007metadataprocessingdelivery.pdf - Similar pages

by M Ransburg - Cited by 3 - Related articles

9. [PDF] Interactive Audio on the Web

File Format: PDF/Adobe Acrobat - View as HTML

The IASIG Web Audio working group operates from a **position** of enlightened self-interest. could build a MIDI player using this feature, the **timing** mechanism in **filtering** and **semantic** description of content (metadata). ... The interface and its **bitstream** format is strongly scalable; for example, if some ...

www.lasig.org/pubs/wawg-rpt.pdf - Similar pages

10. [DOC] INTERNATIONAL ORGANISATION FOR STANDARDISATION

File Format: Microsoft Word - View as HTML

7007 **TV**-Anytime Rights Management and Protection Rqs — I. Sezan complete the formalization of the **XML** file for **bitstream** information; It was noted that the contribution lacked proper **semantic** descriptions. Fast **filtering**: propose reordering of navigation path to separate **position** codes from TBCs; ... www.itsci.ipsi.or.ip/sc29/open/29view/29n43211.doc - Similar pages



filtering bitstream television xml semantic timing position

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>Privacy</u> - <u>About Google</u>